




Spare Parts Catalogue

Subcl. -431

**Trimming Mechanism
for Pfaff 461; 463; 469**

PFAFF INDUSTRIEMASCHINEN GMBH KAISERSLAUTERN



Subcl. -431 Trimming Mechanism for Pfaff 461

- 11-108 096-15 Fastening screw (A M 3x8 DIN 84-8.8)
for No.91-107 265-05
- 11-108 135-15 Fastening screw (A M 3.5x8 DIN 84-8.8)
for Nos.91-069 600-15; 91-069 601-15
- 11-108 171-15 Fastening screw (A M 4x6 DIN 84-8.8)
for No.91-069 599-15
- 11-108 174-15 Binding screw (A M 4x8 DIN 84-8.8)
for Nos.91-169 089-90; 91-169 393-12
- 11-108 177-15 Binding screw (A M 4x10 DIN 84-8.8)
for Nos.91-069 472-91; 91-169 089-90
- 11-108 222-15 Binding screw (A M 5x8 DIN 84-8.8)
for No.91-069 630-91
- 11-108 225-15 Binding screw (A M 5x10 DIN 84-8.8)
for No.91-069 489-12
- 11-108 231-15 Binding screw (A M 5x15 DIN 84-8.8)
for No.91-169 473-92 and
set screw for No.91-169 476-45
- 11-108 237-15 Fastening screw (A M 5x18 DIN 84-8.8)
for No.91-169 476-45
- 11-130 176-15 Fastening screw (M 4x10 DIN 912-8.8)
for No.91-169 393-12
- 11-174 086-15 End screw (M 3x4 DIN 920-5.8)
for No.91-069 472-91
- 11-174 176-15 Fastening screw (M 4x10 DIN 920-8.8)
for Nos.91-069 620-12; 91-069 630-91
- 11-178 172-15 End screw (M 4x8 DIN 921-5.8)
for No.91-069 498-11
- 11-314 220-15 Fastening screw (M 5x8 DIN 438-5.8)
for Nos.91-069 483-04; 91-069 484-04;
91-069 496-05
- 11-330 220-15 Fastening screw (A M 5x8 DIN 913-10.9)
for No.91-169 301-12
- 11-345 907-15 Stop screw (M 4x6x4 DIN 927-5.8)
for No.91-069 503-05 (see No.91-169 474-05)
- 12-024 191-15 Nut (M 6 DIN 934-8)
for Nos.91-069 514-05; 91-169 475-15
- 12-610 200-45 Circlip (7x0.8 DIN 471)
for No.91-069 486-05
- 12-640 090-55 Slip washer (2.3 DIN 6799)
for No.91-001 824-05
- 12-640 170-55 Slip washer (5 DIN 6799)
for Nos.91-069 496-05; 91-069 497-05
- 12-640 200-55 Slip washer (7 DIN 6799)
for No.91-169 474-05
- 13-033 208-05 Positioning pin (3 m 6x24 DIN 6325)
for No.91-169 476-45
- 14-215 013-01 Needle bearing for No.91-069 468-15
- 91-001 824-05 Roller for No.91-069 493-11
- 91-069 371-92 Oil guard, w/
oil pad No.91-069 517-05
- 91-069 468-15 Fulcrum stud for No.91-069 473-91
- 91-069 472-91 Arm shaft, w/ crank and
No.11-108 177-15 Binding screw
No.91-169 099-45 Oil cup

Subcl. -431 Trimming Mechanism for Pfaff 461

- 91-069 473-91 Knife driving eccentric connection, compl., consisting of:
 No.14-215 013-01 Needle bearing
 No.14-215 304-01¹⁾ Knife driving eccentric needle bearing
 No.91-069 444-92¹⁾ Knife driving eccentric, w/ set screw No.91-700 785-15
 No.91-069 468-15 Fulcrum stud
 No.91-069 475-15¹⁾ Knife driving eccentric connection
 No.91-069 476-05 Gasket for No.14-215 304-01
 No.91-169 301-12 Set collar
¹⁾Cannot be replaced.
 For replacement purposes, order No.91-069 473-91
- 91-069 483-04 Fulcrum stud, right, for No.91-169 089-90
 (Orders should specify number of dots;
 1; 2; 3 or 4)
- 91-069 484-04 Fulcrum stud, left, for No.91-169 089-90
 (Orders should specify number of dots;
 1; 2; 3 or 4)
- 91-069 486-05 Hinge stud for No.91-069 790-05
 (For replacement purposes, order No.91-069 628-91)
- 91-069 489-12 Guide stud, w/ binding screw No.11-108 225-15,
 for No.91-069 789-15
- 91-069 490-11 Knife engaging and disengaging shaft
 for Nos.91-069 489-12; 91-069 498-11
- 91-069 493-11 Interlocking latch for No.91-069 490-11
- 91-069 496-05 Fulcrum stud for Nos.91-069 493-11; 91-069 497-05
- 91-069 497-05 Torsion spring for No.91-069 493-11
- 91-069 498-11 Interlocking latch cam for Nos.91-069 490-11;
 91-069 501-15
- 91-069 501-15 Connecting link for Nos.91-069 498-11; 91-169 473-92
- 91-069 513-15 Guide stud for No.91-169 252-45
- 91-069 514-05 Guide stud for No.91-169 252-45
- 91-069 517-05 Oil pad for No.91-069 371-92
- 91-069 518-45 Arm cover
- 91-069 571-92 Needle bar, w/
 needle set screw No.91-700 336-15
- 91-069 598-11 Knife holder, compl.,
 consisting of Nos.11-108 135-15; 91-069 599-15;
 91-069 600-15; 91-069 601-15
- 91-069 599-15 Knife holder, adjustable
- 91-069 600-15 Knife jaw, adjustable
- 91-069 601-15 Knife jaw
- 91-069 620-12 Ball joint connection, w/
 set screw No.11-174 176-15
 (For replacement purposes, order No.91-069 628-91)
- 91-069 628-91 Ball joint connection, w/ connecting link, compl.,
 consisting of Nos.11-108 096-15; 91-069 486-05;
 91-069 620-12; 91-069 788-05; 91-069 789-15;
 91-069 790-05; 91-107 265-05
- 91-069 630-91 Ball joint, w/ ball screw stud and
 No.11-108 222-15 Binding screw
 No.11-174 176-15 Set screw
- 91-069 632-05 Oil wick, 2 mm dia., 65 mm long, for No.91-069 513-15
- 91-069 638-45 Slip washer for No.91-701 511-15
- 91-069 788-05 Ball stud for No.91-069 620-12
 (For replacement purposes, order No.91-069 628-91)

Subcl. -431 Trimming Mechanism for Pfaff 461

- 91-069 789-15 Guide stud for No.91-069 489-12
(For replacement purposes, order No.91-069 628-91)
- 91-069 790-05 Connecting link for Nos.91-069 486-05;
91-069 788-05
(For replacement purposes, order No.91-069 628-91)
- 91-106 033-15 Washer for No.91-069 497-05
- 91-107 265-05 Guide fork for No.91-069 620-12
- 91-169 089-90 Connection, w/ needle bearing and
No.11-108 174-15 Binding screw
No.11-108 177-15 Binding screw
No.91-069 483-04 Fulcrum stud, right
No.91-069 484-04 Fulcrum stud, left
- 91-169 099-45 Oil cup for No.91-069 472-91
- 91-169 252-45 Knife holder bracket
(previous version, w/o thrust washer No.91-170 650-11,
has been replaced by Nos.91-169 252-45; 91-169 254-05;
91-169 393-12; 91-170 650-11)
- 91-169 254-05 Pressure spring for No.91-170 650-11
- 91-169 301-12 Set collar, w/ set screw
No.11-330 220-15, for No.91-069 473-91
- 91-169 393-12 Guide stud bracket, w/ binding screw No.11-108 174-15
(previous version, w/o thrust washer No.91-170 650-11,
has been replaced by Nos.91-169 252-45; 91-169 254-05;
91-169 393-12; 91-170 650-11)
- 91-169 473-92 Shift lever, w/ binding screw No.11-108 231-15
(previous version No.91-169 359-92, w/o stop pin
No.91-169 475-15, not ill.)
- 91-169 474-05 Shift lever hinge stud
(previous version No.91-069 503-05, w/
stop screw No.11-345 907-15, not ill.)
- 91-169 475-15 Stop pin for No.91-169 473-92
- 91-169 476-45 Knife driving shaft bracket
(previous version No.91-069 481-45, w/o
stop pin No.91-169 475-15, not ill.)
- 91-169 477-91 Knife drive assembly, compl.,
consisting of Nos.11-178 172-15; 11-314 220-15;
12-024 191-15; 12-610 200-45; 12-640 090-55;
12-640 170-55; 12-640 200-55; 91-001 824-05;
91-069 489-12; 91-069 490-11; 91-069 493-11;
91-069 496-05; 91-069 497-05; 91-069 498-11;
91-069 501-15; 91-069 628-91; 91-069 630-91;
91-069 638-45; 91-106 033-15; 91-169 089-90;
91-169 252-45; 91-169 473-92; 91-169 474-05;
91-169 475-15; 91-169 476-45; 91-701 346-15;
91-701 391-15; 91-701 511-15
- 91-170 650-11 Thrust washer for No.91-169 252-45
- 91-700 335-35 Fastening screw for No.91-069 518-45
- 91-700 336-15 Needle set screw
- 91-700 486-15 Fastening screw for No.91-069 371-92
- 91-700 785-15 Fastening screw for knife driving eccentric
- 91-701 346-15 Driving screw for Nos.91-069 490-11; 91-069 498-11
- 91-701 391-15 Hinge screw for Nos.91-069 501-15; 91-169 473-92
- 91-701 511-15 Nut for No.91-069 630-91

91-169 395-04



91-069 595-04




91-069 596-03



91-054 408-03



91-055 192-25




99-029 728-05

91-047 467-04



91-048 708-93



91-048 709-04

91-048 703-04

91-000 730-35


91-000 730-35

91-048 701-05

91-047 467-04



91-048 710-93



91-048 711-03

91-048 703-04

91-000 730-35


91-000 730-35

91-048 701-05

91-047 468-04



91-048 713-93



91-048 714-04

91-048 703-04

91-000 730-35


91-000 730-35

91-048 701-05

91-047 468-04



91-048 715-93



91-048 716-03

91-048 703-04

91-000 730-35


91-000 730-35

91-048 701-05

91-047 292-04



91-048 774-93



91-048 776-03

91-048 703-04

91-000 730-35

91-000 730-35

91-048 775-05

Subcl. -431 Trimming Mechanism for Pfaff 461

S = Trimming Margin

- 91-000 730-35 Fastening screw for Nos.91-048 703-04;
91-048 709-04; 91-048 711-03; 91-048 714-04;
91-048 716-03; 91-048 776-03
- 91-047 292-04 x S x Model
Feed dog for No.91-048 774-93
- 91-047 467-04 x S x Model
Feed dog for Nos.91-048 708-93; 91-048 710-93
- 91-047 468-04 x S x Model
Feed dog for Nos.91-048 713-93; 91-048 715-93
- 91-048 701-05 Needle plate for Nos.91-048 708-93; 91-048 710-93;
91-048 713-93; 91-048 715-93
- 91-048 703-04 x S Cover plate for Nos.91-048 708-93;
91-048 710-93; 91-048 713-93; 91-048 715-93;
91-048 774-93
- 91-048 708-93 x S x Model
Needle plate, compl., (S = 2.5 - 3.5 mm, -431/01; -431/03)
consisting of Nos.91-000 730-35; 91-048 701-05;
91-048 703-04; 91-048 709-04
- 91-048 709-04 x S x Model
Needle plate insert for No.91-048 708-93
- 91-048 710-93 x S x Model
Needle plate, compl., (S = 2.5 - 3.5 mm, -431/02; -431/07)
consisting of Nos.91-000 730-35; 91-048 701-05;
91-048 703-04; 91-048 711-03
- 91-048 711-03 x S x Model
Needle plate insert for No.91-048 710-93
- 91-048 713-93 x S Needle plate, compl.,
(S = 4.0 - 7.0 mm, -431/04; -431/06)
consisting of Nos.91-000 730-35; 91-048 701-05;
91-048 703-04; 91-048 714-04
- 91-048 714-04 x S Needle plate insert for No.91-048 713-93
- 91-048 715-93 x S Needle plate, compl.,
(S = 4.0 - 7.0 mm, -431/05; -431/08)
consisting of Nos.91-000 730-35; 91-048 701-05;
91-048 703-04; 91-048 716-03
- 91-048 716-03 x S Needle plate insert for No.91-048 715-93
- 91-048 774-93 x S Needle plate compl.,
(S = 8.0 - 12.0 mm, -431/05; -431/08)
consisting of Nos.91-000 730-35; 91-048 703-04;
91-048 775-05; 91-048 776-03
- 91-048 775-05 Needle plate for No.91-048 774-93
- 91-048 776-03 x S Needle plate insert for No.91-048 774-93
- 91-054 408-03 x S x Model
Presser foot (-431/01; -431/03; -431/04; -431/06)
No.91-054 426-03 x S x Model
Presser foot (-431/02; -431/05;
-431/07; -431/08), not ill.
- 91-055 192-25 Finger guard (up to 5 mm S)
No.91-055 189-25 Finger guard (over 5 mm S), not ill.
- 91-069 595-04 x Trimming width: 5, 7 and 9 mm,
Knife (S = 3.0 - 12.0 mm, -431/01; -431/02; -431/04; -431/05)
- 91-069 596-03 x Trimming width: 5, 7 and 9 mm,
Knife (-431/03; -431/06; -431/07; -431/08)
- 91-169 395-04 x Trimming width: 5, 7 and 9 mm,
Knife (S = 2.5 mm, -431/01; -431/02)
- 99-029 728-05 Knife grinder

91-054 338-03



91-169 395-04



91-069 595-04




91-069 596-03



91-047 464-04




91-048 700-93




91-047 464-04




91-048 704-93



91-047 293-04



91-048 778-93



91-069 669-04



91-054 090-04



91-054 270-03



91-054 180-04




91-054 310-03




91-069 602-03




91-047 534-03




91-048 951-93



91-047 534-03



91-048 952-93



Complementary Parts of Subcl. -431 Trimming Mechanism for the Pfaff 463
(For standard parts, please refer to the Subcl. -431 trimming mechanism for the Pfaff 461)


S = Trimming Margin

91-000 730-35	Fastening screw for Nos.91-048 702-04; 91-048 703-04; 91-048 705-03; 91-048 779-03	91-048 705-03 x S x Model	Needle plate insert for No.91-048 704-93
91-047 293-04	x S x Model Feed dog (S = 10.0 - 12.0 mm) for No.91-048 778-93	91-048 775-05	Needle plate for No.91-048 778-93
91-047 464-04	x S x Model Feed dog (S = 2.5 - 8.0 mm) for Nos.91-048 700-93; 91-048 704-93; 91-048 778-93	<u>91-048 778-93</u>	x S x Model Needle plate, compl., (S = 8.0 - 12.0 mm, -431/02; -431/04) consisting of Nos.91-000 730-35; 91-048 703-04; 91-048 775-05; 91-048 779-03
<u>91-048 700-93</u>	x S x Model Needle plate, compl., (S = 2.5 - 7.0 mm, -431/01; -431/03) consisting of Nos.91-000 730-35; 91-048 701-05; 91-048 702-04; 91-048 703-04	91-048 779-03	x S x Model Needle plate insert for No.91-048 778-93
91-048 701-05	Needle plate for Nos.91-048 700-93; 91-048 704-93	91-054 338-03	x S x Model Presser foot (-431/02; -431/04) No.91-054 336-03 x S x Model Presser foot (-431/01; -431/03), not ill.
91-048 702-04	x S x Model Needle plate insert for No.91-048 700-93	91-069 595-04	x Trimming width: 5, 7, 9 mm, Knife (S = 3.0 - 12.0 mm, -431/01; -431/02)
91-048 703-04	x S Cover plate for Nos.91-048 700-93; 91-048 704-93; 91-048 778-93	91-069 596-03	x Trimming width: 5, 7, 9 mm Knife (-431/03; -431/04)
<u>91-048 704-93</u>	x S x Model Needle plate, compl., (S = 2.5 - 7.0 mm, -431/02; -431/04) consisting of Nos.91-000 730-35; 91-048 701-05; 91-048 703-04; 91-048 705-03	91-169 395-04	x Trimming width: 5, 7, 9 mm Knife (S = 2.5 mm, -431/01; -431/02)

Complementary Parts of Subcl. -431 Trimming Mechanism for the Pfaff 469
(For standard parts, please refer to the Subcl. -431 trimming mechanism for the Pfaff 461)

S = Trimming Margin

91-000 730-35	Fastening screw for Nos.91-048 947-04; 91-048 949-03; 91-048 950-05	<u>91-048 952-93</u>	x S x Model Needle plate, compl., (S = 2.5 - 7.0 mm, -431/02; -431/04) consisting of Nos.91-000 730-35; 91-048 946-05; 91-048 949-03; 91-048 950-05
91-047 465-04	x S x Model Feed dog, left	91-054 090-04	x S x Model Presser foot (-431/01; -431/03)
91-047 466-04	x S x Model Feed dog, right	91-054 180-04	x S x Model Presser foot (-431/02; -431/04)
<u>91-047 534-03</u>	x S x Model Feed dog assembly, compl., for Nos.91-048 951-93; 91-048 952-93 consisting of Nos.91-047 465-04; 91-047 466-04	91-054 270-03	x S x Model Gathering foot (-431/01; -431/03)
91-048 946-05	Needle plate for Nos.91-048 951-93; 91-048 952-93	91-054 310-03	x S x Model Gathering foot (-431/02; -431/04)
91-048 947-04	x S x Model Needle plate insert for No.91-048 951-93	91-069 602-03	x Trimming width: 5, 7, 9 mm, Knife (S = 2.5 - 7.0 mm, -431/02; -431/04)
91-048 949-03	x S x Model Needle plate insert for No.91-048 952-93	91-069 669-04	x Trimming width: 5, 7, 9 mm Knife (S = 2.5 - 7.0 mm, -431/01; -431/02)
91-048 950-05	Cover plate for Nos.91-048 951-93; 91-048 952-93		
<u>91-048 951-93</u>	x S x Model Needle plate, compl., (S = 2.5 - 7.0 mm, -431/01; -431/03) consisting of Nos.91-000 730-35; 91-048 946-05; 91-048 947-04; 91-048 950-05		



Nummern-Verzeichnis / Tableau des numéros / Numerical Index / Lista de números									
Nr./nº/No.	Fig.	Nr./nº/No.	Fig.	Nr./nº/No.	Fig.	Nr./nº/No.	Fig.	Nr./nº/No.	Fig.
11-108 096-15	3	91-047 468-04	7	91-054 270-03	9	91-069 599-15	4	91-700 785-15	5
11-108 135-15	3	91-047 534-03	9	91-054 310-03	9	91-069 600-15	4	91-701 346-15	5
11-108 171-15	3	91-048 700-93	9	91-054 336-03	9	91-069 601-15	4	91-701 391-15	5
11-108 174-15	3	91-048 701-05	7	91-054 338-03	9	91-069 602-03	9	91-701 511-15	5
11-108 177-15	3	91-048 701-05	9	91-054 408-03	7	91-069 620-12	4	99-029 728-05	7
11-108 222-15	3	91-048 702-04	9	91-054 426-03	7	91-069 628-91	4		
11-108 225-15	3	91-048 703-04	7	91-055 189-25	7	91-069 630-91	4		
11-108 231-15	3	91-048 703-04	9	91-055 192-25	7	91-069 632-05	4		
11-108 237-15	3	91-048 704-93	9	91-069 371-92	3	91-069 638-45	4		
11-130 176-15	3	91-048 705-03	9	91-069 468-15	3	91-069 669-04	9		
11-174 086-15	3	91-048 708-93	7	91-069 472-91	3	91-069 788-05	4		
11-174 176-15	3	91-048 709-04	7	91-069 473-91	4	91-069 789-15	5		
11-178 172-15	3	91-048 710-93	7	91-069 483-04	4	91-069 790-05	5		
11-314 220-15	3	91-048 711-03	7	91-069 484-04	4	91-106 033-15	5		
11-330 220-15	3	91-048 713-93	7	91-069 486-05	4	91-107 265-05	5		
11-345 907-15	3	91-048 714-04	7	91-069 489-12	4	91-169 089-90	5		
12-024 191-15	3	91-048 715-93	7	91-069 490-11	4	91-169 099-45	5		
12-610 200-45	3	91-048 716-03	7	91-069 493-11	4	91-169 252-45	5		
12-640 090-55	3	91-048 774-93	7	91-069 496-05	4	91-169 254-05	5		
12-640 170-55	3	91-048 775-05	7	91-069 497-05	4	91-169 301-12	5		
12-640 200-55	3	91-048 775-05	9	91-069 498-11	4	91-169 393-12	5		
13-033 208-05	3	91-048 776-03	7	91-069 501-15	4	91-169 395-04	7		
14-215 013-01	3	91-048 778-93	9	91-069 513-15	4	91-169 395-04	9		
91-000 730-35	7	91-048 779-03	9	91-069 514-05	4	91-169 473-92	5		
91-000 730-35	9	91-048 946-05	9	91-069 517-05	4	91-169 474-05	5		
91-001 824-05	3	91-048 947-04	9	91-069 518-45	4	91-169 475-15	5		
91-047 292-04	7	91-048 949-03	9	91-069 571-92	4	91-169 476-45	5		
91-047 293-04	9	91-048 950-05	9	91-069 595-04	7	91-169 477-91	5		
91-047 464-04	9	91-048 951-93	9	91-069 595-04	9	91-170 650-11	5		
91-047 465-04	9	91-048 952-93	9	91-069 596-03	7	91-700 335-35	5		
91-047 466-04	9	91-054 090-04	9	91-069 596-03	9	91-700 336-15	5		
91-047 467-04	7	91-054 180-04	9	91-069 598-11	4	91-700 486-15	5		

PFAFF[®]